



THUNDER GREY LIMESTONE

With its dark grey tones, the true natural beauty of Thunder Grey Limestone lies in the striking visual display of marine life fossils from ages past. This eye-catching, durable stone creates great visual interest wherever it is applied, from columns, wall

cladding, surrounds, stairs and pavers, to elaborate carvings. Limestone is one of the oldest and most versatile natural building materials available, suited to modern and classic design.




HONED




BUSH HAMMER



ADZE



4 POINT STALK



2 POINT STALK



SPLIT

RECOMMENDED USES

SURROUNDS	QUOINS
VENEER	SILLS/LINTELS
PAVING	COPING/CAPS
STAIR BLOCKS	CARVED OBJECTS

INSTALLATION

Thunder Grey Limestone may be installed in any standard setting techniques: mortar or thinset on slab, or by sand setting.

MATERIAL SPECIFICATIONS

STANDARD BLOCK : 60" x 39" x 28"
<i>1525 x 1000 x 710 mm</i>
MAX SPECIAL BLOCK : 98" x 71" x 48"
<i>2500 x 1800 x 1220 mm</i>
STANDARD VENEER : 3" x 8" to 16" x 26"; 2" - 3" thick
<i>75 x 200 mm to 400 x 650 mm; 50 - 75 mm thick</i>
STANDARD PAVERS :
12" x 12" to 24" x 30"; 0.75" - 3" thick
<i>300 x 300 mm to 600 x 750 mm; 20 - 75 mm thick</i>

TECHNICAL DATA

ASTM	TEST	
C97	absorption	0.05 %
C97	bulk gravity	169 lbs/ft ³ <i>2,706 kg/m³</i>
C99	mod. of rupture	2,451 psi <i>16.9 MPa</i>
C170	compressive strength	17,550 psi <i>121 MPa</i>
C880	flexural strength	2,263 psi <i>15.6 MPa</i>
C241	abrasion resistance	16.7 Ha

UNITED STATES OF AMERICA
TEL +1 206 709 3000

rhodes-stone.com
info@rhodes-stone.com

AUSTRALIA
TEL +61 3 8199 9555

CHINA
TEL +86 592 533 0273